## **Ophthalmic Preparations:**

Cefazolin Ophthalmic 33mg/ml (Extemporaneous Formulation, ASHP,2003) Gentamicin Ophthalmic 13.6mg/ml (Extemporaneous Formulation, ASHP,2003) Tobramycin Ophthalmic Formulation 13.6mg/ml (Extemporaneous Formulation, ASHP,2003)

Tobramycin Ophthalmic Solution 15 mg/ml (Extemporaneous Formulation , ASHP,2003) Vancomycin Ophthalmic 31mg/ml (Extemporaneous Formulation , ASHP,2003) Vancomycin Fort. Ophthalmic Solution 50mg/ml

Vancomycin inj. (100mg/ml)

750mg (7.5ml)

**Artificial Tears** 

7.5ml

Total Volume

15ml

\*Note: Remove 7.5ml from Tears bottle and add vancomycin (7.5ml). Final concentration = 50mg/ml.

Instructions to be included on the label:

For the eye

Refrigerate S

Shake Well

Expiration: 7 days

## **Topical Preparations:**

**Cholestyramine Paste 10%** 

Cholestyramine powder (1 part)

12 g

Aquaphor (anhydrous pet.) (9 parts)

108 g

\*Note: Incorporate powder into ointment base by geometric dilution (no excipient used). Makes approx. 4oz. (120Gm) of paste

Instructions to be included on the label:

For topical use Expiration: 6 months

## Modified Dakins (sodium hypochlorite) solution 0.005%

Clorox

1ml

D-W for irrigation

999ml

Instructions to be included on the label:

For external use only Expiration: 6 months

## Neomycin 1% Solution for Irrigation

Neomycin powder or

5 g

Sterile water for irrigation QS

500 ml

Final concentration =

5 g/500ml (1% solution)

Instructions to be included on the label:

For irrigation Expiration: 1 month

Approved:

Authorized:

Robert Kuhn, PharmD

John Armitstead, MS, FASHP

Associate Director

Director of Pharmacy Services

Kentucky Children's Hospital